

1

2

5

11

()

15

22

25

The Guide to Good "

"

Prescribing. Geneva WHO; 1994

.1

.2

.3

()

()

()

()

.%01

()

()

()

()

1.8 70

$$\frac{\quad \times \quad (\quad)}{\quad} = \frac{\quad}{1.8}$$

() ()
() ()

(MEOS)

P450

()

()

)

(

() ()

" "

" "

" "

()

4)

(anaphylaxis)

(pharmacovigilance centre)

(%0.3) 7

2422

()

()

()

()

()

(1)

.P450

P450

CYP3A4, 5,7	<u>CYP2E1</u>	<u>CYP2D6</u>	<u>CYP2C9</u>	<u>CYP2C19</u>	<u>CYP2B6</u>	<u>CYP1A2</u>
—						

<u>3A4</u>	<u>2E1</u>	<u>2D6</u>	<u>2C9</u>	<u>2C19</u>	<u>2B6</u>	<u>1A2</u>

<u>3A4</u>	<u>2E1</u>	<u>2D6</u>	<u>2C9</u>	<u>2C19</u>	<u>2B6</u>	<u>1A2</u>

pH

8 6

6-3

()

(" " " " ")

.(SI)

." " " " " "

() 0

" "

" "

" "

6 ")

.(" " "

.(" 5 "

1) (" ")

.(1

7912111 :	
_____ :	
_____	_____
_____	_____

	Rx
