

() : 13

490 1.13

495 () 2.13

500 3.13

504 4.13

505 5.13

514 6.13

516 4.13

1.13

()

()

(3-6)

()

()

()

4

()

4

10000 :1

6

()

%60

12

()

/

4

4

()

Benzoic acid with salicylic acid

%3

%6

:

(4)

:

:

Miconazole nitrate

%2

%2

:

10

:

:

Selenium sulfide

[] %2.5

%2.5 ()

() () :

5 :

48 () :

10 :

6 3 14-7

3-2 10-5

() .

:

(10)

Sodium thiosulfate

%15

(7.2.4) :

4 :

() **2.13**

.(1.15)

%0.01 (4.13)

%2

(2.2.6 1.2.6)

Methylrosanilinium chloride

%0.5

%0.5

:

:

3-2

3-2

:

)

()

:

(

Potassium permanganate

(%0.01) 10000 :1

(%0.1) 1000 1 .

:

:

:

3-2 (%0.01) 10000:1 :

(1.1.2.6)

4-2

8 (%0.01) 10000:1

4 (%0.01) 10000:1

(%0.01) 10000 :1

:

Neomycin with bacitracin

500

5

:

()

:

3

:

:

Silver sulfadiazine

%1

:

(2)

:

(3)

6

:

() :

:

3.13

(1.3)

()

(4.13)

2-1

(1.3)

(4.2.2.6) 10-7

()

5

)

%5

(

%1

Calamine

()%15 ()%8 ()

:

4-3

:

Betamethasone

. %0.1 ()

%0.1 ()

%0.1 ()

()

:

:

() :

7

2-1

:

:

()

Hydrocortisone acetate

.

%1

%1

()

:

:

)

(

)

:

(

2-1

:

(

)

:

4.13

(2-13)

Aluminium acetate

%13 ()

:

:

120-30 %0.65

:

4-2

15-5

(1.1.2.6)

4 %5

%0.65

:

%5

2.6 1

%0.65

20 1 :%13

5.13

()

(4.2.2.6)

3-2

Benzoyl peroxide

%5

%5 ()

:

:

:

2-1

:

()

()

4-2

(%2-1)

%10

			Coal tar
		%5	()
			:
			:
			:
			:
			4-1
3	20-10	100	.
	24		10
			:

Dithranol

%2-0.1

30

%0.1

:

60

%2

:

:

:

:

:

Urea

%10

%10

:

:

:

:

Fluorouracil

%5

(2.8)

:

:

:

:

(4-3)

2-1

:

()

()

()

Podophyllum resin

%25-10 ()

:

(2) :

:

:

:

4-1

4

:

Salicylic acid

%5

()

[

] %6-1

:

:

:

:

:

%10-6

Benzyl benzoate

%25 ()

:

:

()

:

24

14 7

24

:

Permethrin

%5

%1 ()

:

()

:

:

12-8

10

:

